Setting the scene: trends in opioid overdose attended by Ambulance Victoria





Acknowledgements

- AMBO project is a partnership between AV, Turning Point, Monash University and funded by DHHS
- Paramedics and Karen Smith who provide the data from Ambulance Victoria
- Sharon Matthews Manager Pop Health and the Population Health Coding Team



Ambo Project



- 1998 metropolitan alcohol and drug related attendances
- End 2011 regional Victoria added (172,000 in 2018)
- 2012 National Ambo Project
 - ACT, NT, NSW, Tasmania, QLD, VIC (SA, WA in future)
 - data snapshots of one month per quarter (March, June, September and December)
 - Funded by Commonwealth Dept of Health
- Estimate 488,598 cases (nationally) to code in 2018





"Is it reasonable to attribute the immediate or recent (past 24 hours) over- or inappropriate substance use as a contributing reason for the ambulance attendance?"









"Is it reasonable to attribute the immediate or recent (past 24 hours) over- or inappropriate substance use as a contributing reason for the ambulance attendance?"









"Is it reasonable to attribute the immediate or recent (past 24 hours) over- or inappropriate substance use as a contributing reason for the ambulance attendance?"










"Is it reasonable to attribute the immediate or recent (past 24 hours) over- or inappropriate substance use as a contributing reason for the ambulance attendance?"









Coding - AOD



GREAT HEALTH AND WELLBEING

🖬 😡 🗟 🥞 🏷 🖓 🔮 🖛 🗧 🗧	Categorising cases - ACT CODING	Mark Hoffmann ?	
ase date: 16-Feb-2018 Case nbr: 1 EPCR NBR: 1		VACIS abb list med list	Close
Case 2.Illicit & other 3.Analgesic 4.Benzos 5.Depressant	6.Psych & Conv 7.OST & Stim 8.Self harm 9. Me	ental health 10.Violence 11.HxViolence	Close
se description and comments:			
	Alcohol		
	Alcohol involved	=	
	Alcohol intox	Last drink at a licensed venue	
	Illicit drugs		
	Meth/amphetamine		
	Crystal methamphetamine (cry	stal, ice)	
	Cannabis		
	Synthetic cannabinoids EPS		
	Cocaine		
	Ecstasy		
	GHB		
	Heroin		
	Ketamine		
	LSD / trips		
IS records:	Mushrooms		
	Illicit drug, other or unspecified		
	Inhalants		
	Spray paint		
	Petrol		
	Inhalant, other or unspecified		
	Others		
ting conditions:	Energy drink		
1	Other medication		
	Other substance		
	Unknown		
			SUBMIT
rd: I of 1 → I I = Filtered Search			
ww.turningpoint.org.au			easternhe

Coding – specific drugs




⊟ 🛃 🖻 🥰 ∽・♂・២ 🖆 ਵ	Categorising cases - ACT C	CODING Mark Hoffmann ? —	
File Home Q Tell me what you want to do			o x
Case date: 16-Feb-2018 Case nbr: 1 EPCR NBR: 1		VACIS abb list med list	
	onv 7.0ST & Stim & Self	harm 9. Mental health 10.Violence 11.HxViolence	Close
Case description and comments:			
	Opioid analgesics		
	Dextropropoxyphene		
	Fentanyl	(Actiq, Durogesic, Naropin, Sublimaze)	
	Hydromorphone	(Dilaudid, Jurnista)	
	Morphine	(Anamorph, DepoDur, Kapanol, Momex, Morphalgin, MS Contin, MS Mono, Ordine, Sevredol)	
	Oxycodone	(Endone, OxyContin, OxyNorm, Proladone)	
	Oxycodone & Naloxor	ne (Targin)	
	Pethidine		
	Tramadol	(Durotram, Lodam, Tramahexal, Tramal, Tramedo, Zydol)	
	Opioid analgesic, other	er or unspecified	
	Other analgesics		
	Aspirin	(Alka-Seltzer, Aspro, Astrix, Cardiprin, Cartia, Disprin, Ecotrin, Solprin)	
VACIS records:	Aspirin & Codeine	(Aspalgin, Codiphen, Codis, Codox, Codral Forte, Disprin Forte, Veganin)	
	Codeine	(codeine phosphate ONLY)	
	Ibuprofen	(Advil, Brufen, Bugesic, Butalgin, Nurofen, Panafen, ProVen, Rafen, Tri-Profen)	
	Ibuprofen & Codeine	(Nurofen Plus, Panafen Plus)	
	Paracetamol	(Chemadol, Duatrol, Dymadon, Febridol, Panadol, Panamax, Paralgin, Parmol, Perfalgan)	
Existing conditions:	Paracetamol & Codeir	ne (Codalgin, Codapane, Dolaforte, Dolased, Dymadon Co, Febridol Plus, Fiorinal, Painstop, Panadeine, Panalgesic, Panamax Co,Paralgin, Prodeine, Tensodeine)	
Null	Other analgesic, othe	r or unspecified	
			SUBMIT
Record: M < 1 of 1 >> M >> T Filtered Search			



Opiate-related ambulance attendances June 2012-December 2017








Metro/Regional distribution opioid-related ambulance attendances







AmboAODStats



http://amboaodstats.org.au/Metro_Regional/


Opioids-Related Rate: Total (2016/17)














Type of opioid analgesic in ambulance attendances








Poly substance with opiates








Opiate-related attendances – Transported to hospital








Heroin - intent



Naloxone and opiate-related ambulance attendances








Ambulance attendances for selected injectable drugs







Includes: heroin, amphetamines, cocaine, opioid analgesics, opioid pharmacotherapy benzodiazepines





Debbie Scott

Strategic Lead Population Health Research Senior Research Fellow – Monash University

debbie.scott@monash.edu

Part of



